

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/696,865	10/30/2003	Andreas C. Doering	RPS920030110US1	8071
47052 7590 06/20/2007 SAWYER LAW GROUP LLP			EXAMINER	
PO BOX 51418			JOHNSON, BRIAN P	
PALO ALTO, CA 94303			ART UNIT	PAPER NUMBER
			2183	-
			MAIL DATE	DELIVERY MODE
			06/20/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/696,865	DOERING ET AL.		
Office Action Summary	Examiner	Art Unit		
	Brian P. Johnson	2183		
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with t	he correspondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICAT 36(a). In no event, however, may a reply will apply and will expire SIX (6) MONTHS e, cause the application to become ABAND	FION. be timely filed from the mailing date of this communication. DONED (35 U.S.C. § 133).		
Status				
1) ⊠ Responsive to communication(s) filed on 25 Ja 2a) □ This action is FINAL. 2b) ☑ This 3) □ Since this application is in condition for alloware closed in accordance with the practice under E	s action is non-final. nce except for formal matters			
Disposition of Claims				
4) ⊠ Claim(s) 1-18 and 20 is/are pending in the app 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☒ Claim(s) 1-18 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	wn from consideration.			
Application Papers				
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine 11.	epted or b) objected to by for drawing(s) be held in abeyance. tion is required if the drawing(s) i	See 37 CFR 1.85(a). s objected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/M	mary (PTO-413) ail Date mal Patent Application		

Art Unit: 2183

DETAILED ACTION

1. Claims 1-18 and 20 are pending.

Papers Filed

Examiner acknowledges receipt of amendments and remarks filed on 29 January

Title

3. Objection withdrawn.

Allowable Subject Matter

1. Claim 20 is allowed.

Regarding claim 20, the disclosed claim shows several additional limitations over previous claims. In particular, the additional limitation of multiple processors and multiple coprocessors was added; however, this limitation is considered to be obvious. A further non-obvious limitation of choosing a coprocessor unit based on a LRU algorithm (in essence, treating the processors like a cache) has also been added. For this reason, claim 20 is allowed over prior art.

Claim Rejections - 35 USC § 103

Art Unit: 2183

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Periera et al. (U.S. Patent No. 6,721,884) in view of Hayakawa (U.S. Patent No. 6,249,858).
- 4. Claims 1-18 are rejected under 35 U.S.C. 102(e) as being anticipated by De Oliveira Kastrup Pereira et al. (U.S. Patent No. 6,721,884) hereinafter referred to as Pereira.
- 5. As per claim 1, Pereira discloses a method for dynamically programming a field programmable gate arrays (FPGA) in a coprocessor (Fig. 1 reconfigurable logic 18 and col. 1 lines 28-29), the coprocessor coupled to a processor (Fig. 1), the method comprising:

Providing a processor and a coprocessor (fig 1 reference 18) that is separate from the processor, the coprocessor being coupled to the processor and including a field programmable gate array (col 1 lines 28-29).

(a) executing an application using the processor; (Col. 4 lines 54-57)

(b) the coprocessor receiving an instruction from the processor to perform a function for the application; (Col. 5 lines 45-49)

- (c) determining that the field programmable gate array (FPGA) in the coprocessor is not programmed to perform the function for the application; (Col. 5 lines 53-59)
- (d) fetching a configuration bit stream associated with the function for the application responsive to the determination that the field programmable gate array (FPGA) is not programmed to perform the function for the application; (Col. 5 lines 53-59)
- (e) dynamically programming the field programmable gate array (FPGA) in accordance with the configuration bit stream to perform the function for the application. (Col. 5 lines 53-59)

Periera fails to disclose that the coprocessor is outside the processor connected by an external bus.

Hayakawa discloses an external arithmetic unit outside the processor connected by an external bus for completing specialized execution in parallel with the internal arithmetic units (col 2 lines 1-10).

Periera discloses utilizing further functional units (col 4 lines 49-54) and would have been motivated to utilize the teachings of Hayakawa for the reasons set forth in Hayakawa col. 1 lines 33-48).

It would have been obvious at the time of invention for one of ordinary skill in the art to take the processing system of Periera and allow at least one reconfigurable

coprocessor to be separate from the processor and attached via bus as taught in Hayakawa.

6. As per claim 2, Pereira/Hayakawa discloses the method of claim 1, wherein the coprocessor further comprises:

an Auxiliary Processing Unit (APU) interface (Fig. 2 control circuit 23) for receiving instructions from the processor, the Auxiliary Processing Unit (APU) interface determining whether a given instruction is to be processed by the coprocessor (col 5 lines 53-59).

As per claim 3, Pereira/Hayakawa discloses the method of claim 2, wherein the Auxiliary Processing Unit (APU) interface determining whether a given instruction is to be processed by the coprocessor includes the Auxiliary Processing Unit (APU) interface issuing a faulty commit if the given instruction is to be processed by the coprocessor and the field programmable gate array (FPGA) in the coprocessor is not programmed to perform a function corresponding to the given instruction (Col. 5 lines 53-59).

7. As per claim 4, Pereira/Hayakawa discloses the method of claim 3, further comprising:

The processor initiating an exception subroutine responsive to the Auxiliary Processing Unit (APU) interface issuing a faulty commit; and (Col. 6 lines 1-3)

The exception routine identifying the configuration bit stream associated with the function for the application (Col. 6 lines 1-3) The examiner asserts that "stalling the processor" and processing a separate task (loading the new configuration file) constitutes executing an exception subroutine.

8. As per claim 5, Pereira/Hayakawa discloses the method of claim 4, wherein the processor initiating an exception subroutine comprises:

The processor branching to the exception subroutine in response to the faulty commit. (Col. 6 lines 1-3) The examiner asserts that Pereira's processor inherently branches to the subroutine for loading the new configuration file if the subroutine is to be executed.

9. As per claim 6, Pereira/Hayakawa discloses the method of claim 4, wherein the exception routine identifying the configuration bit stream comprises:

The exception routine decoding a function identifier; The examiner asserts that a function must inherently be identified to the subroutine if the correct configuration file is to be fetched and loaded.

The processor fetching the configuration bit stream associated with the function from a memory; (Col. 5 lines 53-57) and

The processor sending the configuration bit stream associated with the function corresponding to the given instruction to a direct memory access (DMA) channel

coupled to the coprocessor for programming the field programmable gate array (PFGA) in the coprocessor (Col. 5 lines 53-57).

10. As per claim 7, Pereira/Hayakawa discloses the method of claim 1, wherein dynamically programming the field programmable gate array (FPGA) comprises:

the processor performing a sequence of load and store instructions in accordance with an exception subroutine of the processor to program the field programmable gate array (FPGA) in accordinace with the configuration bit stream. The examiner asserts that with a limited number of bit-lines dedicated to programming the FPGA (Fig. 2 ports 20a,b and 22) and the "considerable overhead" required for loading a configuration file (Col. 2 lines 6-7), Pereira's processor must inherently perform multiple store instructions to transfer the data of the configuration file into the reconfigurable logic.

11. As per claim 8, Pereira/Hayakawa discloses the method of claim 1, further comprising:

The processor reissuing the instruction to the coprocessor responsive to the field programmable gate array (FPGA) being dynamically reconfigured to perform the function for the application. The examiner asserts that after the reconfigurable logic has been reconfigured, the instruction is re-issued to the newly configured logic. (Col. 5 lines 59-60)

12. As per claim 9, Pereira/Hayakawa discloses a method for dynamically programming a field programmable gate array (FPGA) in a coprocessor (Fig. 1 reconfigurable logic 18 and col. 1 lines 28-29), the method comprising:

Providing a processor and a coprocessor that is separate from the processor, in that the coprocessor is coupled to the processor through a bus that is external to the processor (Hayakawa col 2 lines 1-10) the coprocessor being coupled to the processor and including a field programmable gate array (FPGA) in the and an Auxiliary Processing Unit (APU) interface (see claim 1) executing of an application using the processor; (Col. 4 lines 54-57)

the coprocessor receiving an instruction from the processor to perform a function for the application; (Col. 5 lines 45-49)

the Auxiliary Processing Unit (APU) interface issuing a faulty commit when the field programmable gate array (FPGA) in the coprocessor is not programmed to perform the function; (Col. 5 lines 53-59)

the processor initiating an exception subroutine in response to the faulty commit; (Col. 6 lines 1-3)

the exception subroutine fetching a configuration bit stream associated with the function for the application; (Col. 6 lines 1-3) *The examiner asserts that "stalling the processor" and processing a separate task (loading the new configuration file)* constitutes executing an exception subroutine.

The exception subroutine performing a sequence of load and store instructions to program the field programmable gate array (FPGA) in accordinace\with the

Art Unit: 2183

configuration bit stream to perform the function. The examiner asserts that with a limited number of bit-lines dedicated to programming the FPGA (Fig. 2 ports 20a,b and 22) and the "considerable overhead" required for loading a configuration file (Col. 2 lines 6-7), Pereira's processor must inherently perform multiple store instructions to transfer the data of the configuration file into the reconfigurable logic.

- 13. As per claim 10, Pereira/Hayakawa has taught a computer readable medium including instructions performing the method of claim 1, consequently claim 10 is rejected for the same reasons set forth in the rejection of claim 1 above.
- 14. As per claim 11, Pereira/Hayakawa has taught a computer readable medium including instructions performing the method of claim 2, consequently claim 11 is rejected for the same reasons set forth in the rejection of claim 2 above.
- 15. As per claim 12, Pereira/Hayakawa has taught a computer readable medium including instructions performing the method of claim 3, consequently claim 12 is rejected for the same reasons set forth in the rejection of claim 3 above.
- 16. As per claim 13, Pereira/Hayakawa has taught a computer readable medium including instructions performing the method of claim 4, consequently claim 13 is rejected for the same reasons set forth in the rejection of claim 4 above.

Art Unit: 2183

17. As per claim 14, Pereira/Hayakawa has taught a computer readable medium including instructions performing the method of claim 5, consequently claim 14 is rejected for the same reasons set forth in the rejection of claim 5 above.

- 18. As per claim 15, Pereira/Hayakawa has taught a computer readable medium including instructions performing the method of claim 6, consequently claim 15 is rejected for the same reasons set forth in the rejection of claim 6 above.
- 19. As per claim 16, Pereira/Hayakawa has taught a computer readable medium including instructions performing the method of claim 7, consequently claim 16 is rejected for the same reasons set forth in the rejection of claim 7 above.
- 20. As per claim 17, Pereira/Hayakawa has taught a computer readable medium including instructions performing the method of claim 8, consequently claim 17 is rejected for the same reasons set forth in the rejection of claim 8 above.
- 4. As per claim 18, Pereira/Hayakawa has taught a computer readable medium including instructions performing the method of claim 9, consequently claim 18 is rejected for the same reasons set forth in the rejection of claim 9 above.

Response to Arguments

Art Unit: 2183

5. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

The following is text cited from 37 CFR 1.111(c): In amending in reply to a rejection of claims in an application or patent under reexamination, the applicant or patent owner must clearly point out the patentable novelty which he or she thinks the claims present in view of the state of the art disclosed by the references cited or the objections made. The applicant or patent owner must also show how the amendments avoid such references or objections.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian P. Johnson whose telephone number is (571) 272-2678. The examiner can normally be reached on 8-4:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Chan can be reached on (571) 272-4162. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/696,865

Art Unit: 2183

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

EDDIE CHAN
ISORY PATENT EXAMINER
2100

Page 12

TECHNOLOGY CENTER 2100